

Product name	MonoTurf 240 ACS 65 / /RPU
--------------	-----------------------------------

Application Performance	Football turf for use in training centres, premium amateur and municipality application
-------------------------	------------------------------------------------------------------------------------------------


Description	Footballturf with sand-rubber infill; Polytan PE Filament, 100 % Polytan PE formulation, straight without curling, single extrusion not cut, without fibrillation
-------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Yarn data	
Material	Polytan 100% PE
Number of filaments	4
Thickness app.	200 µm
Weight app.	8000 dtex/tuft

Construction data	
Pile height app.	40 mm
Machine gauge	3/4 "
Stitch density app.	180 /m
Number of stitches app.	9450 /m ²
Number of filaments app.	75600 /m ²

System design			
Elastic layer			
	Polytan EL min.	25 mm	insitu
Base layer			
	Sand	silica sand	
Upper layer			
	Granules RPU	0.5-2.0 mm	

FIFA 2 Star Certification	
Weil der Stadt, D	2005 recertified 2006
Football Club Ved Diget, DK	2006
Football Club Vestamager, DK	2006
Football Stadium Tarnby, D RPU	2006



Polytan artificial turf products exceed all technical values of the minimum requirements of the DIN V 18035/7. In order to maintain our surfaces to the highest and most up to date technical standards, we reserve the right to modify the product data. We advise that the technical values regarding yarn thickness and dtex, as well as the weight, are approximate values and could vary due to technical reasons by +/- 10 %. except pile height (+/-5%) (April 2007)